



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Swain. *S. abildgaardi* (Bloch). *S. aurofrenatum* (Valenciennes). *S. viride* (Bonnaterre). *Callyodon taeniopterus* (Desmarest). *C. vetula* (Schneider). *C. caeruleus* (Bloch). *Pomacanthus arcuatus* (Linnaeus). *Hepatus coeruleus* (Schneider). *Balistes vetula* Linnaeus.

HENRY W. FOWLER,
Philadelphia, Pa.

ANOTHER RECORD OF *AMBLYSTOMA* *OPACUM* FROM LONG ISLAND.

During the summer and fall of 1916 several collecting trips for the adults of the tiger salamander were made, with rather negative results as regards that species, but two adults with eggs of the marbled salamander, *Amblystoma opacum*, were found by Mr. J. M. Ketcham, of Glen Head, L. I. They were discovered under logs in a dried-up pond on the Hudson Estate near Syosset, and were kept in damp soil. After several weeks Mr. Ketcham presented them to the N. Y. Zoological Park, where the ova arrived on October 31, in rather a dry condition, and shrunk to about one-third of their original size. The writer placed them into a small aquarium with four inches of water, and after being submerged about 45 minutes, they began to hatch. The gelatinous cover had absorbed the water, bringing the ova back to their natural size, which was about 3-16 of an inch. Within an hour after beginning to hatch, all the larvae had emerged. Of the 88 larvae hatched, 76 found their way to the Rockefeller Institute, where Dr. Eduard Uhlenhuth is using them in his experiments on the transplantation of the amphibian eye and other biological work. A dozen were retained and are now on exhibition in the Reptile House at Bronx Park.

RICHARD F. DECKERT,
New York, N. Y.